

# CGM & PUMP SUPPLIES CMN



Please attach CHART NOTES supporting diabetes diagnosis and medical necessity, recent face-to-face/telehealth visit, patient training and hypoglycemia history (if applicable).

Fax: 480-998-5247 ♦ Phone: 480-998-5551 ♦ Email: Service@DirectDiabetes.com ♦ DirectDiabetes.com

## PATIENT INFORMATION:

Patient Name: \_\_\_\_\_ Date of Birth: \_\_\_\_\_

Gender:  F  M Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Primary Insurance: \_\_\_\_\_ Primary ID: \_\_\_\_\_

Secondary Insurance: \_\_\_\_\_ Secondary ID: \_\_\_\_\_

Date of Last Face to Face: \_\_\_\_\_

Primary Diagnosis:  E10.9  E10.65  E11.65  E11.8  E11.9  Other: \_\_\_\_\_

Secondary Diagnosis:  Z79.4  Other: \_\_\_\_\_

## Documented Reason for Prescribing Supplies - PLEASE ATTACH MEDICAL RECORDS:

Insulin-treated  History of problematic hypoglycemia (Level 3 / Level 2)  Insulin pump in use  
\*\* Level 3 glycemic event (<54 mg/dl) that substantially altered the mental or physical state enough to require third party assistance.  
\*\* Level 2 glycemic event (<54 mg/dl) despite multiple attempts to adjust medication or modify the treatment plan.

## SUPPLIES:

A9276 (365 Units - 1 Unit = 1 Day) / A4239 (12 Units - 1 Unit = 1 Month) - Sensors - Brand: \_\_\_\_\_

A9277 (2 Units - 1 Unit = 6 Month) - Transmitter - Brand: \_\_\_\_\_

A9278 (1 Unit) / E2103 (1 Unit) - Receiver - Brand: \_\_\_\_\_

A4230 / A4221 / A4224 - Infusion Set - Qty:  90  50  40  30 - Brand: \_\_\_\_\_

A4225 / K0552 - Cartridge/Reservoir Set - Qty:  90  50  40  30 - Brand: \_\_\_\_\_

A5120 - Protective Barrier Wipes  A6257 - Transparent Dressing  A4245 - Alcohol Wipes

## PHYSICIAN INFORMATION:

Physician Name: \_\_\_\_\_ NPI: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Office Contact: \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

I certify that I am the physician identified on this form and that by signing, I acknowledge, as the patient's treating practitioner, that the patient has sufficient training to effectively use the CGM and/or PUMP SUPPLIES as prescribed and that all supplies are intended for an on-label use case.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_